



INDEX

A

Abel equation (ODE), 5, 7, 8, 31, 37
additive separable solution, xviii, 698
adiabatic gas flow, 776, 778, 781, 785
Airy equation (ODE), 518
auto-Bäcklund transformation, 126, 691
autonomous equation (ODE), 1–3, 5–8, 11

B

Bäcklund transformation, 11, 267, 519, 690–693
 auto-, 126, 691
BBM equation, 583
Bellman type equations, 472–477
Bernoulli equation (ODE), 77, 78, 84, 87, 90
bilinear functional equations, 705, 706
Blasius problem, 542
 generalized, 548
Blasius solution, 125
Born–Infeld equation, 445
boundary layer,
 diffusion, 118, 124, 168
 hydrodynamic, 540–547, 549, 551, 553
 thermal, 124, 125
Boussinesq equation, 142, 595, 597
 canonical form, 595
 unnormalized, 597
Burgers equation, 9, 78, 79
 cylindrical, 14
 generalized, 10
 modified, 13
 unnormalized, 11, 109
 vector, 179
Burgers–Korteweg–de Vries equation, 532
 generalized, 635

C

Calogero equation, 434
canonical form
 Boussinesq equation, 595
 elliptic equations, 684
 hyperbolic equations, 684
 Korteweg–de Vries equation, 515
 parabolic equations, 683
Cauchy problem, 10, 520, 446, 765, 773
Cauchy–Riemann equations, 739
characteristic direction, 774
characteristic equation, 683
characteristic lines, 773, 774
characteristic velocity, 774
Clarkson–Kruskal direct method, 728, 731
classical method for symmetry reductions, 735
classification of second-order semilinear equations,
 683

cnoidal waves, 515
commutator of operators, 765
condition of conservation of energy, 31
conditions
 evolutionary, 780
 Rankine–Hugoniot jump, 779
conservation laws, 106, 108, 693, 769, 772
 mass, 772, 777
 momentum, 772, 777
 systems, 772
contact transformations, 688
continuity equation, 772
continuous point Lie group, 736
coordinates of first prolongation, 737–740, 742,
 745
coordinates of second prolongation, 737–740, 742,
 745
Crocco transformation, 543, 546
cylindrical Burgers equation, 14
cylindrical Korteweg–de Vries equation, 521

D

differential constraints
 first-order, 749
 method, 747–749
 second-order, 754
 third- and higher-order, 756
differential substitutions, 691
differentiation method, 718
double sine-Gordon equation, 229
double sinh-Gordon equation, 225

E

eigenvalue of matrix, 774
eigenvector of matrix
 left, 774–777
 right, 774, 777, 780, 787
elliptic equations
 canonical form, 684
 with n independent variables, 428–431
 with three space variables, 405–428
 with two space variables, 347–404
elliptic Weierstrass function, 2, 362, 533, 596, 598
Emden–Fowler equation (ODE), 48, 198, 199,
 210, 211
 generalized (ODE), 111, 114, 202, 219, 245
equation
 Abel (ODE), 5, 7, 8, 31, 37
 Airy (ODE), 518
 anisotropic diffusion, stationary, 395
 anisotropic heat, stationary, 395
 autonomous (ODE), 1–3, 5–8, 11
 BBM, 583
 Bernoulli (ODE), 77, 78, 84, 87, 90

- Born–Infeld, 445
 Boussinesq, 142, 595, 597
 Boussinesq, canonical form, 595
 Boussinesq, unnormalized, 597
 Burgers, 9, 78, 79
 Burgers, cylindrical, 14
 Burgers, generalized, 10
 Burgers–Korteweg–de Vries, 532
 Burgers–Korteweg–de Vries, generalized, 635
 Burgers, modified, 13
 Burgers, unnormalized, 11, 109
 Burgers, vector, 179
 Calogero, 434
 characteristic, 683
 continuity, 772
 cylindrical Burgers, 14
 cylindrical Korteweg–de Vries, 521
 diffusion boundary layer, nonlinear, 118, 124, 168, 169
 double sine–Gordon, 229
 double sinh–Gordon, 225
 Emden–Fowler (ODE), 48, 198, 199, 210, 211
 Emden–Fowler, generalized (ODE), 111, 114, 202, 219, 245
 first Painlevé (ODE), 518, 596, 759
 Fisher, 1
 Fitzhugh–Nagumo, 4, 744
 Gel’fand–Levitan–Marchenko, integral, 519, 520, 523, 597, 606
 generalized Burgers–Korteweg–de Vries, 635
 generalized Kadomtsev–Petviashvili, 629
 generalized Khokhlov–Zabolotskaya, 437
 generalized Korteweg–de Vries, 524
 generalized Landau–Ginzburg, 135
 generalized Liouville, 679
 Goursat, 272
 Grad–Shafranov, 379
 Harry Dym, 528, 732
 Helmholtz, 150, 165, 182, 184, 279
 homogeneous (ODE), 23, 24, 35, 49, 205
 homogeneous Monge–Ampère, 451
 hyperbolic, 684
 Kadomtsev–Petviashvili, 605, 762
 Kadomtsev–Petviashvili, canonical form, 605
 Kadomtsev–Petviashvili, generalized, 629
 Kadomtsev–Petviashvili, unnormalized, 607
 Kawahara, 632
 Khokhlov–Zabolotskaya, 435
 Khokhlov–Zabolotskaya, generalized, 437
 Khokhlov–Zabolotskaya, stationary, 353
 Khokhlov–Zabolotskaya, three-dimensional, 438
 Khokhlov–Zabolotskaya, two-dimensional, 435
 Klein–Gordon, nonlinear, 234
 Kolmogorov–Petrovskii–Piskunov, 71
 Korteweg–de Vries, 515, 767
 Korteweg–de Vries, canonical form, 515
 Korteweg–de Vries, cylindrical, 521
 Korteweg–de Vries, generalized, 524
 Korteweg–de Vries, modified, 522
 Korteweg–de Vries, spherical, 522
 Korteweg–de Vries, unnormalized, 523
 Kuramoto–Sivashinsky, 593
 Laplace, 162, 173, 174, 182, 278
 linear wave, 684
 Liouville, 213, 267
 Liouville, generalized, 679
 minimal surfaces, 447
 modified Burgers, 13
 modified Korteweg–de Vries, 522
 Monge–Ampère, 451
 nonlinear diffusion boundary layer, 124, 168, 169
 nonlinear Klein–Gordon, 234, 719, 721
 Painlevé, first (ODE), 518, 596, 759
 Painlevé, second (ODE), 518, 523, 596, 759
 Poisson, 150, 155, 163, 174, 184
 Riccati (ODE), 75, 77, 78, 81, 85
 Schrödinger, of general form, 134, 135, 137, 138
 Schrödinger, three-dimensional, of general form, 189
 Schrödinger, two-dimensional, of general form, 188
 Schrödinger, with cubic nonlinearity, 125, 127, 128, 129, 131, 189
 Schrödinger, with power-law nonlinearity, 127, 129
 separable (ODE), 35, 47, 208, 214, 366
 sine–Gordon, 227, 229, 269, 766
 sine–Gordon, double, 229
 sinh–Gordon, 225, 268, 767
 sinh–Gordon, double, 225
 state, ideal polytropic gas, 772
 stationary anisotropic diffusion, 395
 stationary anisotropic heat, 395
 stationary heat, with nonlinear source, 382
 stationary Khokhlov–Zabolotskaya, 353
 steady transonic gas flow, 361, 363, 431
 thermal boundary layer, nonlinear, 124
 Tzitzéica, 268
 unnormalized Boussinesq, 597
 unnormalized Burgers, 11
 unsteady transonic gas flow, 409, 440
 vector Burgers, 179
 Yermakov (ODE), 97, 251
- equations
 admitting variational formulation, 772
 Bellman type, 472–477
 bilinear functional, 705, 706
 boundary layer, 118, 124, 125, 540, 553
 boundary layer, for Newtonian fluid, 553
 boundary layer, for non-Newtonian fluids, 547, 566
 elliptic, canonical form, 684
 elliptic, with n independent variables, 428–431
 elliptic, with three space variables, 405–428
 elliptic, with two space variables, 347–404
 Euler, 570, 573, 574
 Euler–Lagrange, 770
 fifth-order, 631–633
 fourth-order, 589–629
 functional, 705, 723–728

- functional, bilinear, 705, 706
 functional, three-argument, 722
 functional-differential, 701
 heat and mass transfer, 159, 174, 391, 420, 423
 heat and mass transfer in anisotropic media,
 161, 163, 164, 166, 167
 heat transfer in quiescent media, 29, 53
 heat transfer in quiescent media with chemical
 reaction, 107, 159, 160
 heat and mass transfer with complicating fac-
 tors, 423
 higher orders, 631–681
 hydrodynamic boundary layer, 542
 hydrodynamic, canonical form, 684
 hyperbolic, with one space variable, 191–273
 hyperbolic, with three space variables, 317–346
 hyperbolic, with two space variables, 275–316
 involving arbitrary functions, 71, 125, 161, 236,
 273, 384
 mass transfer in moving media with chemical
 reactions, 169
 mass transfer in quiescent media with chemical
 reactions, 159, 169
 motion of ideal fluid, 570
 Navier–Stokes, nonstationary, 616
 Navier–Stokes, stationary, 607
 nonlinear diffusion boundary layer, 124, 168,
 169
 nonlinear functional, 723
 nonlinear Schrödinger, 125–130, 186–190
 nonlinear telegraph, 299
 nonstationary, 155, 157
 nonstationary hydrodynamic, 574, 616, 627
 parabolic, canonical form, 683
 parabolic, with one space variable, 1–140
 parabolic, with three space variables, 169–179
 parabolic, with two space variables, 141–168
 reducible to Korteweg–de Vries equation, 526
 second-order, 1–588
 second-order, evolution, 749
 second-order, general form, 479–514
 second-order, semilinear, 683
 stationary hydrodynamic, 570, 607
 steady boundary layer, for Newtonian fluid, 540
 steady boundary layer, for non-Newtonian flu-
 ids, 547
 telegraph, linear, 230, 265, 300, 301, 303
 telegraph, nonlinear, 299–305
 third-order, 515–588
 unsteady boundary layer, for Newtonian fluid,
 553
 unsteady boundary layer, for non-Newtonian
 fluids, 564
 elliptic equations
 canonical form, 684
 with n independent variables, 428–431
 with three space variables, 405–428
 with two space variables, 347–404
 error function, 10
 Euler equations, 570, 573, 574
 Euler–Lagrange equation, 770
 Euler transformation, 123, 447, 689
 evolutionary conditions, 780
 evolutionary shocks, 780
 exponential self-similar solutions, 696
- ## F
- Falkner–Skan problem, 544
 generalized, 550
 fifth-order equations, 631–633
 first-order differential constraints, 749
 first Painlevé equation (ODE), 518, 596, 759
 first prolongation, coordinates of, 737, 738
 Fisher equation, 1
 Fitzhugh–Nagumo equation, 4, 744
 fixed singularities of solutions, 758
 fourth-order equations, 589–629
 function
 error, 10
 Weierstrass elliptic, 2, 533
 functional-differential equations, 701, 705
 functional equation, 723–728
 bilinear, 705, 706
 functional separable solutions, xviii, 713
- ## G
- gas flow, adiabatic, 776, 778, 781, 785
 gas, ideal polytropic, equation of state, 772
 Gel'fand–Levitan–Marchenko integral equation,
 519, 520, 523, 597, 606
 generalized Blasius problem, 548
 generalized Burgers–Korteweg–de Vries equation,
 635
 generalized Kadomtsev–Petviashvili equation, 629
 generalized Khokhlov–Zabolotskaya equation, 437
 generalized Korteweg–de Vries equation, 524
 generalized Landau–Ginzburg equation, 135
 generalized Liouville equation, 679
 generalized Schlichting problem, 548
 generalized separable solutions, xviii, 701, 709
 generalized similarity reductions, 728, 757
 generalized traveling-wave solutions, xviii, 713
 Goursat equation, 272
 Grad–Shafranov equation, 379
 group analysis methods, 735–747
 classical, 735
 nonclassical, 744
 group invariant, 737, 741
- ## H
- Harry Dym equation, 528, 732
 heat and mass transfer equations,
 in anisotropic media, 161, 163, 164, 166, 167
 in moving media with chemical reactions, 169
 in quiescent media, 29, 53
 in quiescent media with chemical reactions,
 107, 159, 169
 with complicating factors, 423
 Helmholtz equation, 150, 165, 182, 184, 279
 hodograph transformation, 26, 122, 254, 356, 686
 homogeneous equation (ODE), 23, 24, 35, 49, 205

homogeneous Monge–Ampère equation, 451
 Hopf–Cole transformation, 10, 692, 762
 hydrodynamic boundary layer equations, 540, 544, 546, 547, 549
 hyperbolic equation
 first canonical form, 684
 second canonical form, 684
 hyperbolic equations
 canonical form, 684
 with one space variable, 191–273
 with three space variables, 317–346
 with two space variables, 275–316
 hyperbolic system
 conservation laws, 772
 nonstrict, 786
 quasilinear equations, 772, 774
 strictly, 774

I

ideal polytropic gas, equation of state, 772
 infinitesimal operator, 736
 infinitesimal transformation, 736
 initial-boundary value problem, 773, 786
 initial value problem, 773
 integral equation, Gel'fand–Levitan–Marchenko, 519, 520, 523, 597, 606
 invariance condition, 737
 invariant of group, 737
 invariant solutions, 694, 736, 741, 742
 invariant surface condition, 744
 inverse scattering method, 764

K

Kadomtsev–Petviashvili equation, 605, 762
 generalized, 629
 canonical form, 605
 unnormalized, 607
 Kawahara's equation, 632
 Khokhlov–Zabolotskaya equation, 435
 generalized, 437
 stationary, 353
 three-dimensional, 438
 two-dimensional, 435
 Klein–Gordon equation, 234, 719, 721
 Kolmogorov–Petrovskii–Piskunov equation, 71
 Korteweg–de Vries equation, 515, 767
 canonical form, 515
 cylindrical, 521
 generalized, 524
 modified, 522
 spherical, 522
 unnormalized, 521
 Kuramoto–Sivashinsky equation, 593

L

Lagrangian, 770
 Landau problem, 615
 Laplace equation, 162, 173, 174, 182, 278
 Laplace operator, 167, 170, 173, 190
 law of conservation, 106, 108, 693, 769, 772
 law of conservation of mass, 772, 777
 law of conservation of momentum, 772, 777
 Lax condition, 781
 Lax pair, 764, 765
 Lax pair method, 764
 Legendre transformation, 263, 266, 404, 447, 689
 Lie group methods, 735
 Lie group of transformations, 736
 limit self-similar solution, 696
 linear subspaces invariant under nonlinear operator, 710, 711
 linear wave equation, 684
 Liouville equation, 213, 267
 generalized, 679

M

mathematical physics equations, *see equation and equations*
 Maxwell's relations, 776
 method
 Clarkson–Kruskal direct, 728, 731
 classical, symmetry reductions, 735
 differential constraints, 747–749
 direct, Clarkson–Kruskal, 728, 731
 functional separation of variables, 713
 generalized separation of variables, 698
 group analysis, 735, 744, 757
 inverse scattering, 764
 Lax pair, 764, 765
 nonclassical, for symmetry reductions, 744
 similarity, 693, 695
 splitting, 721
 Titov–Galaktionov, 710
 Mises transformation, 444, 543, 545, 552, 678
 Miura transformation, 519, 523, 692
 modified Burgers equation, 13
 modified Korteweg–de Vries equation, 522
 Monge–Ampère equation, 451
 homogeneous, 451
 movable pole, 760
 movable singularities, 758
 multiplicative separable solution, xviii, 698

N

Newtonian fluid, 540, 553
 steady hydrodynamic boundary layer equations, 540
 Noetherian symmetries, 770
 nonclassical method for symmetry reductions, 744
 nonclassical symmetries, 744
 nonlinear diffusion boundary layer equations, 124, 168, 169

nonlinear equations of the thermal boundary layer, 124
 nonlinear functional equations, 723
 nonlinear Klein–Gordon equation, 234
 nonlinear Schrödinger equations, *see also Schrödinger equation*, 125, 186
 nonlinear telegraph equations, 299–305
 non-Newtonian fluids, 547
 steady hydrodynamic boundary layer equations, 547
 nonstationary equations, 576
 nonstationary hydrodynamic equations, 574, 616
 nonstrict hyperbolic system, 786
 N -soliton solution, 126, 228, 516, 605

O

one-soliton solution, 126, 228, 515, 524, 599, 605
 operator
 infinitesimal, 736
 Laplace, 167, 170, 173, 190
 prolonged, 737, 771
 total differential, 737, 750, 751, 753, 771

P

Painlevé equation (ODE)
 first, 518, 596, 759
 second, 518, 523, 596, 759
 Painlevé test, 758
 parabolic equations
 canonical form, 183
 with one space variable, 1–140
 with three space variables, 169–179
 with two space variables, 141–168
 partial differential equation, *see equation and equations*
 point transformations, 685
 Poisson equation, 150, 155, 163, 174, 184
 problem
 Blasius, 542
 Blasius, generalized, 548
 boundary layer, 118, 124
 Cauchy, 10, 520, 446, 765, 773
 Falkner–Skan, 544
 Falkner–Skan, generalized, 550
 initial-boundary value, 773, 774, 786
 initial value, 773
 Landau, 615
 Riemann, 773, 777, 782
 Schlichting, 542
 Schlichting, generalized, 548
 probability integral, 10
 prolonged operator, 737, 771
 coordinates of first prolongation, 737–740, 742, 745
 coordinates of second prolongation, 737–740, 742, 745

R

rarefaction waves, 777, 778
 Rankine–Hugoniot jump conditions, 779
 reductions, symmetry, 735
 Riccati equation (ODE), 75, 77, 78, 81, 85
 Riemann invariant, 776, 778
 Riemann problem, 773, 777, 782

S

Schlichting problem, 542
 generalized, 548
 Schrödinger equation,
 of general form, 134, 135, 137, 138
 three-dimensional, of general form, 189
 three-dimensional, with cubic nonlinearity, 189
 two-dimensional, of general form, 188
 with cubic nonlinearity, 125, 127, 128, 129, 131, 189
 with power-law nonlinearity, 127, 129
 second-order differential constraints, 754
 second-order equations of general form, 479–514, 754
 second-order evolution equations, 749
 second-order hyperbolic equations, 191–346, 753
 self-similar solutions, xviii, 13, 24, 695, 777
 separable equation (ODE), 35, 47, 208, 214, 366
 separable solutions, generalized, xviii, 701, 709
 shock (shock wave), 780, 781
 similarity methods, 693
 similarity reduction, 732, 734
 special form, 728
 general form, 731
 generalized, 728, 757
 single-soliton solution, *see also one-soliton solution*, 126, 228
 sine-Gordon equation, 227, 229, 269, 766
 double, 229
 sinh-Gordon equation, 225, 268, 767
 double, 225
 soliton, 125, 228, 516, 521, 605
 “soliton + pole” solution, 516
 solution
 additive separable, xviii, 698
 Blasius, 125
 exponential self-similar, 696
 functional separable, xviii, 713
 generalized separable, xviii, 701, 709
 generalized traveling-wave, xviii, 713
 invariant, 694, 736, 741, 742
 limit self-similar, 696
 multiplicative separable, xviii, 698
 N -soliton, 126, 228, 516, 605
 one-soliton, 125, 228, 515, 524, 599, 605
 Riemann problem, 782
 self-similar, xviii, 13, 24, 695, 777
 single-soliton, *see also one-soliton solution*, 126, 228
 “soliton + pole”, 516
 special functional separable, 713
 traveling-wave, xviii, 5–8, 13, 14, 694

- traveling-wave, generalized, xviii, 5–8, 13, 36, 39, 713
 two-soliton, 228, 516, 524, 599, 605
 special functional separable solutions, 713
 spherical Korteweg–de Vries equation, 522
 splitting method, 705, 721
 stationary anisotropic diffusion equation, 395
 stationary anisotropic heat equation, 395
 stationary heat equation with nonlinear source, 382
 stationary hydrodynamic equations, 607
 stationary Khokhlov–Zabolotskaya equation, 353
 stationary Navier–Stokes equations, 607
 steady hydrodynamic boundary layer equations
 for Newtonian fluid, 540
 for non-Newtonian fluids, 547
 strictly hyperbolic system, 774
 structural formula, 782
 structure of functional separable solutions, 713
 structure of generalized separable solutions, 700
 symmetry reductions, 735
 systems of conservation laws, 772
- T**
- telegraph equations
 linear, 230, 285, 300, 301, 303
 nonlinear, 299–305
 third-order equations, 515–588
 three-argument functional equations, 722
 three-dimensional equations, 191
 three-dimensional Khokhlov–Zabolotskaya equation, 438
 three-dimensional nonlinear Schrödinger equation
 of general form, 189
 three-dimensional Schrödinger equation with cubic
 nonlinearity, 189
 Titov–Galaktionov method, 710
 total differential operator, 737, 750, 751, 753, 771
 transformation
 auto-Bäcklund, 126, 691
 Bäcklund, 11, 267, 519, 690–693
 contact, 688
 Crocco, 543, 546
 Euler, 123, 447, 689
 hodograph, 26, 122, 254, 356, 686
 Hopf–Cole, 10, 692, 762
 infinitesimal, 736
 Legendre, 263, 266, 404, 447, 689
 Mises, 444, 543, 545, 552, 678
 Miura, 519, 523, 692
 point, 685
 traveling-wave solutions, xviii, 5–8, 13, 14, 694
 generalized, xviii, 13, 36, 39, 713
 two-dimensional Khokhlov–Zabolotskaya equation, 435
 two-dimensional nonlinear Schrödinger equation
 of general form, 188
 two-dimensional Schrödinger equation with cubic
 nonlinearity, 186
 two-dimensional Schrödinger equation with power-
 law nonlinearity, 187
 two-soliton solution, 228, 516, 524, 599, 605
 types of equations, 683
 Tzitzéica equation, 268
- U**
- universal invariant of group, 737
 unnormalized Boussinesq equation, 597
 unnormalized Burgers equation, 11, 109
 unnormalized Kadomtsev–Petviashvili equation, 607
 unnormalized Korteweg–de Vries equation, 521
 unsteady boundary layer equations for Newtonian
 fluid, 555
 unsteady boundary layer equations for non-New-
 tonian fluids, 566
- V**
- vector Burgers equation, 179
 von Mises transformation, 444, 543, 545, 552, 678
- W**
- wave
 cnoidal, 515
 nonlinear, 196, 198, 199, 201, 218, 239, 245
 rarefaction, 777, 778
 shock, 779
 Weierstrass elliptic function, 2, 362, 533, 596, 598
- Y**
- Yermakov's equation (ODE), 97, 251