



## INDEX

### A

- Abel equation
  - first kind, 9, 138,
  - first kind, canonical (normal) form, 9
  - second kind, 10, 107
  - second kind, canonical (normal) form, 11
- Airy equation, 213
- Airy functions, 25, 214
  - first kind, 214
  - second kind, 214
- algebraic form of Mathieu equation, 233
- approximation function, 47
- associated Legendre functions, 756, 758
  - first kind, 756
  - second kind, 756
- asymptotic solutions
  - Duffing equation, 302
  - fourth-order linear equations, 55
  - n*th-order linear equations, 55, 56
  - second-order linear equations, 24–27
  - second-order nonlinear equations, 299, 305
- autonomous equation, 295, 486, 608, 625, 637, 678, 686, 687
- averaging method, 41, 42

### B

- Bäcklund transformation, 66, 424, 433
- Bernoulli equation, 4, 81
- Bessel equation, 227
  - nonhomogeneous, 286
- Bessel function, 227, 748
  - first kind, 227, 748
  - orthogonality properties, 750
  - second kind, 227, 748
  - third kind, 750
  - zeros, 750
- Bessel's formula, 749
- beta function, 747
  - incomplete, 747
- binomial coefficients, 736, 743
- boundary conditions, 29
  - first kind, 30
  - mixed, 33
  - second kind, 32
  - third kind, 33
- boundary value problem, 27
  - first kind, 30
  - mixed, 33
  - second kind, 32
  - third kind, 33
- Bubnov–Galerkin method, 48

### C

- canonical form
  - Abel equation of first kind, 11
  - Abel equation of second kind, 9
  - Riccati equation, 8
  - second-order linear equation, 21
- Cauchy problem, 1, 34
- C*-discriminant curve, 2
- characteristic equation, 51, 692, 703
- characteristic index, 262
- characteristic polynomial, 503, 645
- Chebyshev polynomials, 230, 760
  - first kind, 231
  - second kind, 232
- Clairaut equation, 15, 204
- collocation method, 48
- complete elliptic integral
  - first kind, 302
  - second kind, 304
- complementary error function, 744
- conservation laws, 71, 312
- constant coefficient linear equation, 692, 703
- contact transformations, 15, 65
- Coulomb law, 162
- critical point, 432
- curve
  - C*-discriminant, 2
  - singular integral, 2
  - t*-discriminant, 2
- cylindrical function, 227, 748

### D

- Darboux equation, 5, 196
- degenerate hypergeometric equation, 220, 753
- de Moivre formula, 737
- differential equation, *see* equation
- discrete transformations of generalized Emden–Fowler equation, 355
- Duffing equation, 38, 42, 302
- dynamical system, 144, 145

### E

- eigenfunctions, 29
- eigenvalue problems, 29, 50
- eigenvalues, 29
- elliptic integral of first kind, 582
- elliptic Weierstrass function, 297
- Emden–Fowler equation, 63–65, 77, 306
  - conservation laws, 312
  - first integrals, 312
- equation
  - Abel, 9–13, 107–142
  - Abel, first kind, 9–10, 138–142

- Abel, second kind, 10–13, 107–137  
 Airy, 213  
 autonomous, 34, 57, 295, 486, 608, 625, 637, 678, 686, 687  
 Bernoulli, 4, 81  
 Bessel, 227  
 characteristic, 51, 692, 703  
 Clairaut, 15, 204  
 Darboux, 5, 196  
 Duffing, 38, 42, 302  
 Emden–Fowler, 63–65, 77, 306  
 Euler, 226, 511, 647, 694  
 Euler, nonhomogeneous, 286, 556, 704  
 exact, 5, 36, 197  
 first-order linear, 4, 81  
 general Riccati, 6, 8  
 generalized Emden–Fowler, 74, 76, 336  
 generalized homogeneous, 35, 58, 137, 195, 462, 487, 623, 637, 660, 679, 687, 710, 732  
 generalized Yermakov, 462  
 Halm, 241  
 Heun, 238  
 homogeneous, 3, 35, 57, 82, 143, 462, 686, 723, 731  
 homogeneous linear, 21, 51, 53, 213  
 hypergeometric, 234, 755  
 invariant under “dilatation–translation” transformation, 197, 465, 488, 638, 733  
 invariant under “translation–dilatation” transformation, 197, 465, 487, 638, 687, 733, 733  
 Jacobi, 134  
 Lagrange–d’Alembert, 15, 204  
 Lamé, 283  
 Laplace, 693  
 Legendre, 231, 242  
 Mathieu, 96, 262  
 modified Bessel, 228  
 nonhomogeneous Bessel, 286  
 nonhomogeneous Euler, 286, 556, 704  
*n*th-order linear, 51–56, 689–705  
*n*th-order nonlinear, 56–59, 706–733  
 of damped vibrations, 215  
 of forced oscillations, 260, 262  
 of forced oscillations with friction, 286  
 of forced oscillations without friction, 285  
 of free oscillations, 213,  
 of loaded rigid spherical shell, 654  
 of oblate spheroidal wave functions, 243  
 of oscillations of mathematical pendulum, 303  
 of prolate spheroidal wave functions, 243  
 of theory of diffusion boundary layer, 218  
 of transverse vibrations of bar, 658  
 of transverse vibrations of pointed bar, 647  
 Painlevé, 432  
 quasi-homogeneous, 136  
 quasilinear, 37  
 Rayleigh, 304  
 Riccati, 6, 82  
 Riemann, 244  
 separable, 81  
 special Riccati, 83  
 Van der Pol, 305  
 Weber, 214  
 Whittaker, 226, 755  
 Yermakov, 461  
 equations  
 admitting reduction of order, 34, 56  
 containing arbitrary functions, 102, 203, 285, 461, 550, 655, 678, 701, 722  
 containing exponential and hyperbolic functions, 197, 648, 695  
 containing exponential functions, 89, 162, 246, 418, 438, 512, 595, 608, 666, 711  
 containing hyperbolic functions, 92, 166, 252, 421, 445, 516, 611, 668, 713  
 containing inverse trigonometric functions, 100, 271, 539  
 containing logarithmic functions, 94, 168, 199, 257, 450, 525, 616, 651, 672, 698, 717  
 containing power functions, 159, 195, 213, 425, 496, 592, 601, 641, 659, 689, 705  
 containing trigonometric functions, 95, 169, 200, 260, 452, 528, 618, 652, 674, 698, 718  
 first-order, 1–20, 81–212  
 fourth-order, 641–688  
 fourth-order linear, 55, 641–658  
 fourth-order nonlinear, 659–688  
 not solved for derivative, 2, 14  
 of combustion theory, 136  
 of theory of chemical reactors, 136  
 of theory of nonlinear oscillations, 136, 299  
 second-order, 21–51, 213–494  
 second-order linear, 21–33, 213–294  
 second-order nonlinear, 33–51, 295–494  
 third-order, 495–639  
 third-order linear, 495–558  
 third-order nonlinear, 559–639  
 error function, 221, 744  
 Euler constant, 227, 746, 749, 754  
 Euler equation, 226, 511, 647, 694  
 nonhomogeneous, 286, 556, 704  
 Euler formula, 737, 745  
 exact differential equation, 5, 36, 197  
 existence theorem, 1, 34, 56  
 exponential integral, 744

**F**

- factorial, 743  
 factorization principle, 68  
 fifth Painlevé transcendent, 436  
 first integral, 71, 312  
 first-order differential equations, 1–20, 81–212  
 linear, 4, 81  
 first-order linear differential operator, 61  
 first Painlevé transcendent, 432  
 fixed singular point, 432  
 formal operator, 66  
 formula  
 Bessel, 749  
 de Moivre, 737  
 Euler, 737, 745  
 Liouville, 21, 54

Poisson, 749  
 Stirling, 746  
 Weierstrass, 762  
 fourth-order constant coefficient linear equation, 645  
 fourth-order differential equations, 641–688  
     linear, 55, 641–658  
     nonlinear, 659–688  
 fourth Painlevé transcendent, 435  
 function  
     Airy, 25, 214  
     approximation, 47  
     Bessel, 227, 748  
     beta, 747  
     complementary error, 744  
     cylindrical function, 227, 748  
     error, 221, 744  
     gamma, 220, 745  
     Gegenbauer, 230  
     Green, 29  
     Hankel, 750  
     Hermite, 761  
     hyperbolic, 738  
     hypergeometric, 234, 755  
     incomplete beta, 747  
     incomplete gamma, 221, 747  
     inverse hyperbolic, 742  
     inverse trigonometric, 740  
     Jacobi elliptic, 283, 304  
     Legendre, 231, 757  
     lemniscate, 330  
     Mathieu, 262, 263  
     Mittag-Leffler type, 690  
     modified associated Legendre, 756  
     modified Bessel, 221, 751  
     modified Emden–Fowler, 356  
     modified Mathieu, 253  
     parabolic cylinder, 758  
     special, 743  
 fundamental system of solutions, 24, 25, 55

**G**

Galerkin method, 47  
 gamma function, 220, 745  
     incomplete, 221, 747  
 Gaussian hypergeometric equation, 234, 755  
 Gegenbauer function, 230  
 Gegenbauer polynomials, 232, 762  
 general Riccati equation, 6, 8  
 general solution, 21, 33  
 generalized Emden–Fowler equation, 74, 76, 336  
     discrete transformations, 355  
 generalized homogeneous equations, 35, 58, 137, 195, 462, 487, 623, 637, 660, 679, 687, 710, 732  
 generalized Yermakov’s equation, 462  
 Green’s function, 29  
 group analysis of second-order equations, 62  
 group methods, 61

**H**

Halm equation, 241  
 Hankel functions, 750  
 Hermite functions, 761  
 Hermite polynomials, 216, 221, 761  
 Heun’s equation, 238  
 higher-order differential equations, 689  
 higher-order linear equations, 55  
 hodograph transformation, 74  
 homogeneous equation, 3, 35, 57, 82, 143, 462, 686, 723, 731  
 homogeneous linear equation, 21, 51, 53, 213  
 hyperbolic functions, 738  
 hypergeometric equation, 234, 755  
 hypergeometric functions, 755  
 hypergeometric series, 234, 755

**I**

incomplete beta function, 747  
 incomplete elliptic integral of second kind, 117, 297, 310, 323, 587  
 incomplete gamma function, 221, 747  
 infinitesimal generator, 61  
 infinitesimal operator, 61  
 initial condition, 1, 34  
 inner expansion, 41  
 integrating factor, 5  
 invariance condition, 61  
 invariant  
     of group, 61  
     of operator, 61  
 inverse hyperbolic functions, 742  
 inverse trigonometric functions, 740  
 iteration methods, 49

**J**

Jacobi elliptic function, 283, 304  
 Jacobi equation, 134  
 Jacobi polynomials, 233, 762

**K**

Krylov–Bogolyubov–Mitropolskii method, 41  
 Kummer–Liouville transformation, 23  
 Kummer series, 220, 753  
 Kummer transformation, 753

**L**

Lagrange–d’Alembert equation, 15, 204  
 Laguerre polynomials, 221, 759  
     generalized, 759  
 Lamé equation  
     in form of Jacobi, 283  
     in form of Weierstrass, 283  
 Laplace equation, 693  
 least squares method, 48  
 Legendre equation, 231, 242  
 Legendre function, 757  
     second kind, 231  
 Legendre polynomials, 231, 756, 757

Legendre transformation, 16, 178  
 lemniscate functions, 330  
 Lie group of transformations, 61  
 Lienard equations, 301  
 linear equations, 4, 81, 213, 495, 641, 689  
     asymptotic solutions, 55  
     first-order, 4, 81  
     fourth-order, 55, 641–658  
     nth-order, 51–56, 689–705  
     second-order, 21–33, 213–294  
     second-order, canonical form, 21  
     second-order, self-adjoint form, 28  
     third-order, 495–558  
     two-term asymptotic expansions, 25  
     with constant coefficients, 51, 53  
 Lindstedt–Poincaré method, 42  
 Liouville formula, 21, 54  
 logarithmic derivative of gamma function, 221,  
     227, 228, 746, 749, 752  
 logarithmic integral, 745

**M**

Macdonald function, 751  
 Mathieu equation, 96, 262  
     algebraic form, 233  
 Mathieu functions, 262, 263  
 method  
     averaging, 41, 42  
     Bubnov–Galerkin, 48  
     for construction of contact transformations, 16  
     Galerkin, 47  
     moment, 48  
     least squares, 48  
     least squared error, 49  
     Lindstedt–Poincaré, 42  
     Krylov–Bogolyubov–Mitropolskii, 41  
     multiple scales, 41  
     of accelerated convergence, 50  
     of composite expansions, 41  
     of discrete-group analysis, 73  
     of expansion in powers of independent variable,  
     37  
     of Euler polygonal lines, 20  
     of group analysis, 61  
     of “integration by differentiation”, 14  
     of matched asymptotic expansions, 41, 45  
     of partitioning the domain, 48  
     of regular expansion in small parameter, 19, 38  
     of regular series expansions with respect to  
         independent variable, 37  
     of regular series expansions with respect to  
         small parameter, 37  
     of RF-pairs, 75  
     of scaled parameters, 41, 42  
     of strained coordinates, 41  
     of successive approximations, 18, 49  
     of Taylor series expansion in independent vari-  
     able, 18  
     of two-scale expansions, 41, 43  
     projection, 47  
     Runge–Kutta, 49

Mittag-Leffler type special function, 690  
 modified associated Legendre functions, 756  
 modified Bessel equation, 228  
 modified Bessel function, 221, 751  
     first kind, 228, 751  
     second kind, 228, 751  
 modified Emden–Fowler equation, 356  
 modified Mathieu equation, 253  
 moment method, 48  
 movable critical point, 432  
 multiple scales method, 41

**N**

Neumann function, 748  
 nonhomogeneous Bessel equation, 286  
 nonhomogeneous Euler equation, 286, 556, 704  
 nonhomogeneous linear equations, 52  
     existence theorem, 22  
     general solution, 22, 54  
 nonlocal exponential operator, 68  
 nonlocal variable, 66  
 nth-order equations  
     linear, 51–56, 689–705  
     nonlinear, 56–59, 706–733  
 numerical integration of differential equations, 20  
 numerical methods, 49

**O**

operator  
     canonical form, 67  
     first-order linear differential, 61  
     formal, 66  
     infinitesimal, 61  
     nonlocal exponential, 68  
     of total derivative, 62  
     prolonged, 62  
 orthogonal polynomials, 759  
 outer expansion, 41

**P**

Padé approximant, 39  
 Painlevé equations, *see* Painlevé transcedents  
 Painlevé transcedents, 432–437  
     fifth, 436  
     first, 432  
     fourth, 435  
     second, 433  
     sixth, 437  
     third, 434  
 parabolic cylinder function, 758  
 perturbation method, 40  
 Pochhammer symbol, 744  
 point transformation, 2, 73  
 Poisson’s formula, 749  
 polynomial  
     characteristic, 503, 645  
     Chebyshev, 230, 760  
     Chebyshev, first kind, 231  
     Chebyshev, second kind, 232  
     Gegenbauer, 232, 762

- Hermite, 216, 221, 761  
 Jacobi, 233, 762  
 Laguerre, 221, 759  
 Legendre, 231, 756, 757  
 orthogonal, 759
- problem  
 Cauchy, 1, 34  
 Sturm–Liouville, 29  
 with boundary conditions of first kind, 30  
 with boundary conditions of second kind, 32  
 with boundary conditions of third kind, 33  
 with mixed boundary conditions, 33
- projection methods, 47  
 prolonged operator, 62
- Q**
- quasi-homogeneous equation, 136  
 quasilinear equation, 37
- R**
- Rayleigh equation, 304  
 Rayleigh–Ritz principle, 31, 50  
 RF-pair of transformations, 75  
 first, 76  
 second, 76
- Riccati equation, 6, 82  
 canonical form, 8  
 general, 6, 8  
 special, 83
- Riemann's equation, 244
- Runge–Kutta method, 20, 49
- S**
- second-order constant coefficient linear equation, 215  
 second-order differential equations, 21–51, 213–494  
 linear, 21–33, 213–294  
 nonlinear, 33–51, 295–494
- second Painlevé transcendent, 433
- secular terms, 39, 41
- separable equation, 81
- shooting method, 50
- single-step methods, 20
- singular integral curve, 2
- singular point, 432  
 algebraic branch, 432  
 essential singularity, 432  
 fixed, 432  
 logarithmic branch, 432  
 movable, 432  
 movable critical, 432  
 pole, 432
- singular solution, 2
- sixth Painlevé transcendent, 437
- solution  
 asymptotic, 24–27, 55, 56  
 explicit form, 33  
 general, 1, 21, 33
- implicit form, 1, 295  
 parametric form, 1, 295, 306  
 particular, 1  
 singular, 2  
 trivial, 21
- space of  $n$ th prolongation, 61  
 special functions, 743  
 special Riccati equation, 83  
 Stirling formula, 746  
 Sturm–Liouville problem, 29
- T**
- $t$ -discriminant curve, 2
- theorem  
 existence, 1, 34, 56  
 uniqueness, 1, 34, 56
- third-order constant coefficient linear equation, 503
- third-order differential equations, 495–639  
 linear, 495–558  
 nonlinear, 559–639
- third Painlevé transcendent, 434
- total differential equation, *see* exact equation transformation  
 Bäcklund, 66, 424, 433  
 contact, 15, 65  
 “dilatation–translation”, 197, 465, 488, 638, 733  
 discrete, 355  
 hodograph, 74  
 Kummer, 753  
 Kummer–Liouville, 23  
 Legendre, 16, 178  
 Lie group, 61  
 point, 2, 73  
 “translation–dilatation”, 197, 465, 487, 638, 687, 733, 733
- trivial solution, 21
- U**
- uniqueness theorem, 1, 34, 56
- V**
- Van der Pol equation, 305  
 Van der Pol oscillator, 299
- W**
- wave functions  
 prolate spheroidal, 243
- Weber equation, 214
- Weierstrass function, 762
- Whittaker equation, 226, 755
- Whittaker functions, 755
- Wronskian, *see* Wronskian determinant
- Wronskian determinant, 21, 29, 54
- Y**
- Yermakov's equation, 461