



6. $xy''_{xx} + ay'_x + by = 0$.

1°. The solution is expressed in terms of the Bessel functions and modified Bessel functions:

$$y = \begin{cases} x^{\frac{1-a}{2}} [C_1 J_\nu(2\sqrt{bx}) + C_2 Y_\nu(2\sqrt{bx})] & \text{if } bx > 0, \\ x^{\frac{1-a}{2}} [C_1 I_\nu(2\sqrt{|bx|}) + C_2 K_\nu(2\sqrt{|bx|})] & \text{if } bx < 0, \end{cases}$$

where $\nu = |1 - a|$.

2°. For $a = \frac{1}{2}(2n + 1)$, where $n = 0, 1, \dots$, the solution is:

$$y = \begin{cases} C_1 \frac{d^n}{dx^n} \cos \sqrt{4bx} + C_2 \frac{d^n}{dx^n} \sin \sqrt{4bx} & \text{if } bx > 0, \\ C_1 \frac{d^n}{dx^n} \cosh \sqrt{4|bx|} + C_2 \frac{d^n}{dx^n} \sinh \sqrt{4|bx|} & \text{if } bx < 0. \end{cases}$$

References

Kamke, E., *Differentialgleichungen: Lösungsmethoden und Lösungen, I, Gewöhnliche Differentialgleichungen*, B. G. Teubner, Leipzig, 1977.

Polyanin, A. D. and Zaitsev, V. F., *Handbook of Exact Solutions for Ordinary Differential Equations, 2nd Edition*, Chapman & Hall/CRC, Boca Raton, 2003.